

Taskwarrior Integration - Enhancement #29

Convert conky config to new format

17/03/2016 08:32 AM - Denis Zhuravlyov

Status:	New	Start date:	17/03/2016
Priority:	Low	Due date:	
Assignee:	Denis Zhuravlyov	% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:			
Description			
Cite from the Debian changelog:			
conky (1.10.0-1) unstable; urgency=medium			
Conky 1.10.0 introduces a new Lua-based configuration format, which supersedes the older free-form text format. An example can be found in /usr/share/doc/conky-{std,cli,all}/conky.conf, and documented at [1][2]. You may attempt to convert your old conkyrc by using a Lua script that can be found at /usr/share/doc/conky-{std,cli,all}/convert.lua.			
Support for the older pre-1.10.0 conkyrc format will continue to be enabled in the Debian packages for as long as it is supported and maintained upstream.			
[1] https://github.com/brndnmtthws/conky/wiki/Configuration-Settings			
[2] https://github.com/brndnmtthws/conky/wiki/Configuration-Variables			
-- Vincent Cheng vcheng@debian.org Tue, 30 Jun 2015 21:35:43 -0700			
So,			
1. convert conkyrc.stub to new lua-like format,			
2. after writing formatted strings into config file add closing ']]'.			
The formatted text itself does not require any changes.			